

DLA - Proficiency Tests GmbH

Hauptstr. 80 23845 Oering/Germany

Tel: +49-(0)4532/9183358 Mob: +49-(0)171/1954375 Fax: +49-(0)4102/9944976 eMail: pt@dla-lvu.de Internet: www.dla-lvu.de

Datum / Date: 15. Apr. 2025

DLA, Hauptstr. 80, 23845 Oering/Germany

Dear participants,

Please find enclosed the material for the proficiency test (PT):

# ptAL04 (2025) Allergens IV: Celery, Mustard and Sesame in Spice Salt [Samples A + B] and "Spiking Level Sample" [SP]

There are two different samples A and B possibly containing the allergenic parameters **Celery, Mustard** and **Sesame** in the range of mg/kg in the **matrix Spice Salt**. One of these samples and the "spiking level sample" (SP) were prepared adding the allergenic ingredients. The **"spiking level sample"** contains the allergens in a simple matrix in **similar amounts** without further processing and should be analysed like a normal sample.

### Please note the attached information on the proficiency test.

Please enter your final results online in our <u>PT customer portal</u> **my DLA | participant's portal**. You will receive further information on this by e-mail, in particular about access to the portal.

#### Last deadline is May 2025-05-29.

After the deadline no results can be accepted.

We are looking forward to any suggestions or questions! We wish you a successful performance of the proficiency test!

Kind regards,

Matthias Besler-Scharf & Alexandra Scharf

On behalf of the DLA-Team

## **DLA - Proficiency Tests GmbH**



Hauptstr. 80 23845 Oering/Germany

Tel: +49-(0)4532/9183358 Mob: +49-(0)171/1954375 Fax: +49-(0)4102/9944976 eMail: pt@dla-lvu.de Internet: www.dla-lvu.de

## Information on the Proficiency Test (PT)

PT number	ptAL04 (2025)
PT name	Celery, Mustard and Sesame in Spice Salt
Sample matrix (processing)	Samples A + B: Spice Salt / ingredients: Table salt, paprika pepper, pepper (black), other food additives and allergenic foods (one of both samples) Spiking Level Sample SP: potato powder, other food additives and allergenic foods
Number of samples and sample amount	2 different Samples A + B: 25 g each + 1 Spiking Level Sample: 15 g
Storage	Samples A, B + Spiking Level Sample: room temperature (PT period), cooled 2 - 10°C (long term)
Intentional use	Laboratory use only (quality control samples)
Parameter	qualitative + quantitative: Celery (protein, DNA), Mustard (protein, DNA), Sesame (protein, DNA) Samples A + B: < 500 mg/kg Spiking Level Sample: < 500 mg/kg
Methods of analysis	Analytical methods are optional. Only one set of results can be submitted per method. Additional result sets can be submitted for different methods.
Notes to analysis	The analysis of PT samples should be performed like a routine laboratory analysis.  In general we recommend to homogenize a representative sample amount before analysis according to good laboratory practice, especially in case of low sample weights. Preferably, the total sample amount is homogenized.
Result table	One result each should be determined for Samples A and B and SP (Spiking Level Sample). The results and additional information should be filled in.
Units	mg/kg
Number of digits	at least 2 digits
Result submission	online via my DLA   participant's portal (https://my.dla-pt.com) you will receive further information about the access by e-mail
Last Deadline	the latest <u>May 2025-05-29</u>
Evaluation report	The evaluation report is expected to be completed 6 weeks after deadline of result submission and will be provided as a PDF file in the DLA   Participant Portal (https://my.dla-pt.com/).
Coordinator and contact person of PT	Matthias Besler-Scharf PhD

<sup>\*</sup> Control of mixture homogeneity and qualitative testings are carried out by DLA. Further testing of the content, homogeneity and stability of PT parameters can be subcontracted by DLA.

DLA - Proficiency Tests GmbH page 2 of 2